


LEDOLAS

Lighting | Energy | Decontamination



COMMERCIAL PRODUCT REFERENCE GUIDE

LSPRO[™] COMMERCIAL LAMP SERIES

The efficient and reliable products in our new LSPRO[™] commercial line were engineered to take commercial LED to the next level by exceeding standard commercial specifications. Take a look and you will see products with high CRI, increased lumen output and Energy Star ratings. These products adhere to our highest design and testing requirements and are poised to become the new standard that designers and commercial consumers will demand.



A19 40WE / 60WE *
CCT: 2700K, 3000K, 5000K
(LS 4-Packs Only)



A19 75WE
CCT: 3000K
COMING SOON!



A21 100WE
CCT: 3000K
COMING SOON!



A21 3-WAY 60WE / 75WE / 100WE
CCT: 3000K
COMING SOON!



DURABULB[™] *
An Amazing Shatter-Resistant Lamp!
COMING SOON!



GP19 40WE / 60WE *
CCT: 2700K, 5000K
(LS 4-Packs Only)



G25 40WE / 60WE *
CCT: 2700K AVAILABLE IN FROSTED AND CLEAR
COMING SOON!



R20 50WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLE: 120°



BR30 65WE / 75WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLE: 120°



BR40 75WE / 90WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLE: 120°



MR16 35WE / 50WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLES: 25° / 40°



MR16 GU10 35WE / 50WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLES: 25° / 40°



PAR16 35WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLES: 25° / 40°



PAR20 50WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLES: 25° / 40°



PAR30 75WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLES: 25° / 40°




PAR 38 90WE / 120WE *
CCT: 2700K, 3000K, 4000K, 5000K
CRI: ≥ 90 BEAM ANGLES: 25° / 40°



* Versions of this product may be Energy Star Certified, DLC Certified or in-progress for other certifications.

Call us for more details. For Energy Star specific questions, you can also visit <http://www.energystar.gov/products/certified-products>



LEDOLAS

Lighting | Energy | Decontamination

LS^{PRO} T8 LINEAR SERIES

Sleek, modern LED linear lighting. Retrofit your old fluorescent linear lighting with our new LSPro™ energy-efficient T8 Linears. Designed with the commercial lighting marketplace in mind, these linears combine high-quality dimmer, ballast and fixture compatibility and cool, uninterrupted lines to give you a new standard in LED. No matter the project, we have the LED linear solution for you.

DIRECT-FIT



2' T8 Direct-Fit*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 80 BEAM ANGLE: 270°
CALL FOR ORDERING DETAILS



3' T8 Direct-Fit*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 80 BEAM ANGLE: 270°
CALL FOR ORDERING DETAILS



4' T8 Direct-Fit*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 80 BEAM ANGLE: 270°



DIRECT-WIRE



2' T8 Direct-Wire*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 80 BEAM ANGLE: 270°
CALL FOR ORDERING DETAILS



3' T8 Direct-Wire*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 80 BEAM ANGLE: 270°
CALL FOR ORDERING DETAILS



4' T8 Direct-Wire*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 80 BEAM ANGLE: 270°



SERIES-A⁺™: EXPERIENCE PERFECT LIGHT

Our patented, ultimate combination of best-in-class components: high CRI of ≥ 97 , premium optics, drivers and state of the art LEDs. Crafted to achieve exceptional color rendering, smooth dimming to 5%, and beam shaping for clean lines. You have to experience this light to actually believe it is possible!

COMING SOON!



MR16 35WE / 50WE*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 97 BEAM ANGLES: 10° / 25° / 40°

COMING SOON!



PAR20 50WE*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 97 BEAM ANGLES: 10° / 25° / 40°

COMING SOON!



PAR30 75WE*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 97 BEAM ANGLES: 10° / 25° / 40°

COMING SOON!



PAR 30 GIMBAL 75WE*
CCT: 3000K, 4000K, 5000K
CRI: ≥ 97 BEAM ANGLES: 10° / 25° / 40°



* Versions of this product may be Energy Star Certified, DLC Certified or in-progress for other certifications.

Call us for more details. For Energy Star specific questions, you can also visit <http://www.energystar.gov/products/certified-products>

GLIMPSE™ LED DOWNLIGHTS

Invented by Lighting Science's engineering team, the patented GLIMPSE™ is designed to convert most 4", 5" or 6" recessed cans into a high performance LED luminaire almost as simply as installing a new bulb. Lighting Science's integration of leading optical, thermal and driver design excellence are fully on display with Glimpse™ – a luminaire to which there truly is no equal. Using just a fraction of the material of other LED downlight modules, Glimpse™ is light in material, but never light on performance. LED down lighting has never been so easy.



4" GLIMPSE® 50WE *
2700K, 3000K, 4000K



6" GLIMPSE® 75WE *
2700K, 3000K, 4000K



COMING SOON!



4" GLIMPSE® ADVANTAGE *

COMING SOON!



6" GLIMPSE® ADVANTAGE *

LS PRO COMMERCIAL TROFFERS

Crisp, clean light that's easy on the eye. Commercial troffer lighting has never been this easy and energy efficient with sleek troffers that can be easily retrofit into most any fixture.



Troffer
2' x 2'
CALL FOR ORDERING DETAILS



Troffer
2' x 4'
CALL FOR ORDERING DETAILS



* Versions of this product may be Energy Star Certified, DLC Certified or in-progress for other certifications.
Call us for more details. For Energy Star specific questions, you can also visit <http://www.energystar.gov/products/certified-products>

THE MARQUEE™ SERIES FILAMENT LED

Inspired by the past, but designed for the future. Lighting Science's Marquee™ filament LED series recreates the nostalgic look of an incandescent lamp - sleek, simple and room-enhancing, yet lasting up to 7x longer than a traditional incandescent. These lamps are the perfect choice to give you the look and feel you have grown to love in soft, inviting, decorative indoor lighting.



A19 40WE / 60WE *
CCT: 2700K

THE ROXY



A19 40WE / 60WE *
CCT: 2200K

THE ROXY



B11 25WE / 40WE *
CCT: 2700K
BASES AVAILABLE: E26, E12

THE MAJESTIC



B11 25WE / 40WE *
CCT: 2200K
BASES AVAILABLE: E26, E12

THE MAJESTIC



G25 40WE / 60WE *
CCT: 2700K

THE GLOBE



G25 40WE / 60WE *
CCT: 2200K

THE GLOBE



G40 40WE / 75WE *
CCT: 2700K

THE GLOBE



G40 40WE / 75WE *
CCT: 2200K

THE GLOBE

COMING SOON!



ST19 40WE / 60WE *
CCT: 2700K

THE AVON

COMING SOON!



ST19 40WE / 60WE *
CCT: 2200K

THE AVON

COMING SOON!



BT15 40WE / 60WE *
CCT: 2700K

THE GOODMAN

COMING SOON!



BT15 40WE / 60WE *
CCT: 2200K

THE GOODMAN

MIRROR SERIES



A19 MIRROR 40WE / 60WE *
CCT: 2700K



G25 MIRROR 40WE / 75WE *
CCT: 2700K



G30 MIRROR 40WE / 75WE *
CCT: 2700K



G40 MIRROR 40WE / 75WE *
CCT: 2700K



* Versions of this product may be Energy Star Certified, DLC Certified or in-progress for other certifications.

Call us for more details. For Energy Star specific questions, you can also visit <http://www.energystar.gov/products/certified-products>

THE **HEALTHE™** SERIES: HUMAN HEALTH LIGHTING

Boost your energy and productivity, or wind down to a healthy, restorative sleep all through the science and technology of light. Rooted in science and designed in collaboration with NASA to help Astronauts sleep better and be more alert while stationed aboard the International Space Station, the HEALTHE™ Series of LEDs utilize specific light wavelengths to optimize your daytime performance and enhance your body's natural release of melatonin production to encourage restorative sleep. We put the power in your hands.

COMING SOON!



GOODDAY™ A19
CCT: PROPRIETARY GOODDAY™



GOODDAY™ BR30
CCT: PROPRIETARY GOODDAY™



GOODDAY™ BR40
CCT: PROPRIETARY GOODDAY™



GENESIS DynaSpectrum™
CCT: PROPRIETARY GOODDAY™/ GOODNIGHT™
+ MORE



GOODNIGHT™ A19
CCT: PROPRIETARY GOODNIGHT™



SLEEPY BABY™ P15
CCT: PROPRIETARY SLEEPY BABY™

COMING SOON!



6" GOODDAY™ GLIMPSE™
CCT: PROPRIETARY GOODDAY™



MYNATURE COASTAL™ PAR30-SN
CCT: PROPRIETARY MYCOASTAL™

COMING SOON!




GOODDAY™ T8 Direct Fit
CCT: PROPRIETARY GOODDAY™

COMING SOON!




GOODDAY™ T8 Direct-Wire
CCT: PROPRIETARY GOODDAY™

COMING SOON!




GOODDAY™ Troffer
AVAILABLE SIZES: 2' x 2' OR 2' x 4'
CCT: PROPRIETARY GOODDAY™

COMING SOON!



GOODDAY™/GOODNIGHT™
AVAILABLE SIZES: 2' x 2' OR 2' x 4'
CCT: PROPRIETARY GOODDAY™/ GOODNIGHT™

COMING SOON!



GOODNIGHT™ Troffer
AVAILABLE SIZES: 2' x 2' OR 2' x 4'
CCT: PROPRIETARY GOODNIGHT™

COMING SOON!




GENESIS DynaSpectrum™ Downlight
CCT: ADJUSTABLE, PROPRIETARY GOODDAY™/ GOODNIGHT™



* Versions of this product may be Energy Star Certified, DLC Certified or in-progress for other certifications.

Call us for more details. For Energy Star specific questions, you can also visit <http://www.energystar.gov/products/certified-products>



LEDOLAS

Lighting | Energy | Decontamination

VIVIDGRO™ SERIES

Achieve energy-efficiency and optimize plant yield under white, visible light with our user-friendly VIVIDGRO™ Lights. These revolutionary products were created by the same Lighting Science engineers who helped both Astronauts aboard the International Space Station and field station scientists in Antarctica to cultivate their own food. Utilizing our proprietary grow spectrum, our LED grow lighting solutions are excellent for a variety of agricultural and horticultural lighting applications, including commercial grow facilities, homeowner/hobbyists, greenhouses, and growth chambers.



VIVIDGRO™ PAR38 Grow Lamp



VIVIDGRO™ v1 Grow Fixture



VIVIDGRO™ v2 Grow Fixture



COMING SOON!



VIVIDGRO™ v3 Grow Fixture



* Versions of this product may be Energy Star Certified, DLC Certified or in-progress for other certifications.

Call us for more details. For Energy Star specific questions, you can also visit <http://www.energystar.gov/products/certified-products>